




POPULATION RANGE



■ Distribution: NS, NB, QC, ON  
Flowering: July - August

**SIZE:** 20-60 cm tall.

**LEAVES:** Arising directly from stem, 3-6 cm long, and 1-3 cm wide. Oval-shaped with a rounded tip and heart shaped base. There are transparent bumps (glands) on the undersides.

**STEM:** Smooth and mostly unbranched.


**FLOWERS:** Pink to greenish-purple, star-shaped with 5 petals, and 8-10 mm long. The sepals are 5-7 mm long and lance-shaped. There are 9 yellow filaments (stamens) in the center of the flower in bunches of three. Flowers grow at the top of the plant and where the leaves arise.

**FRUITS:** Reddish-purple, cylindrical, and 8-12 mm long. Tapers at the end to a 2-3 mm long point (style).

**NOTES:** The entire plant can have a reddish or pinkish colour.



© SEAN BLANEY



© BRITTON AND BROWN (1913)

**Similar species:**

Fraser's Marsh St. John's-Wort (*Triadenum fraseri*) is very similar. Its sepals are blunter and 2.5-5 mm long and the tip of its fruit (style) is shorter (0.5-1.5 mm long). Its leaves also tend to be slightly rounder and broader. This species is mainly found in northern NS and is uncommon in southwest NS.



© CHARDE (2011)

**Habitat:**

Wetlands (bogs, marshes) and wet lakeshores.

**Interesting Point:**

The hairs on the leaves of this plant prevent the leaf surface from becoming wet when submerged in water.



Fruit and leaves

© SEAN BLANEY



Purplish red leaves with no leaf stalks (sessile)

© MEGAN CROWLEY



Flower close-up

© MEGAN CROWLEY